



## EU-Declaration of Performance

In accordance with Annex III of Regulation (EU) No. 305/2011  
(Construction Product Regulation)  
For the product "Flex C Ment - Overlay Mix"

1. Unique identification of the product-type:  
**Overlay Mix Grey**

2. Type, batch or serial number or other identifying mark to identify the construction product as set out in Article 11 (4):  
**Batch number: See product and label**

3. Intended use as foreseen by the manufacturer of the construction product in accordance with the harmonised technical specification:  
**Screed materials with cement binder**

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as set out in Article 11 (5):  
**Flex C Ment™**  
**DBS Insaat Taah Kimya San ve Tic Ltd Sti**  
**Altaycesme Mah Bagdat Cad Sanayi Sok No.6 Maltepe / Istanbul**  
**Turkey**

5. When applicable, the name and contact address of the authorized representative who has received a mandate for the tasks set out in Article 12(2):  
**Non applicable**

6. System or systems for assessment and verification of constancy of performance of the construction product in accordance with Annex V:  
**EN 13813 / System 4**

7. In the case of a declaration of performance concerning a construction product that is covered by a harmonized standard:  
**Manufacturer presents self-declaration according to system 4 based on initial type test values issued by the following approved laboratory:**  
**ZAG Ljubljana Slovenian National Building and Civil Engineering Institute**  
**Dimičeva 12, 1000 Ljubljana, Slovenia**

8. In case of a declaration of performance concerning a construction product for which a European Technical Assessment was issued:  
**Non applicable**

9. Declared performance:

Essential Characteristics	Performance			Harmonized Testing Procedure
	1	2	Mean value	
Consistency – flow table test (mm)	224	221	<b>223</b>	SIST EN 1015-3
Dry bulk density (kg/m <sup>3</sup> )	1900	1900	<b>1900</b>	SIST EN 1015-6
Air bubble contents (vol.%)	11.0	11.0	<b>11.0</b>	SIST EN 1015-7